

The background of the slide is a photograph of an industrial facility, likely a factory or workshop. In the foreground, there are several large, cylindrical electrical components, possibly transformers or inductors, which are wrapped in white tape and have copper wires protruding from them. These components are resting on a metal surface. In the background, there are various industrial structures, including metal frames, pipes, and overhead lighting fixtures, creating a complex and industrial scene.

# Routing Order NATIONAL Germany

Version 1

# Table of Content

01

[Routing Order: Germany National – English Version](#)

[Transport regulation for shipment of goods on behalf of Innomotics \(FCA\)](#)

[How to allocate your shipment to the right transport mode](#)

[How to allocate your right carrier](#)

02

[Routing Order: Germany national – Deutsch Version](#)

[Transportvorschrift für Warenabholungen im Auftrag von Innomotics \(FCA\)](#)

[So ordnen Sie Ihre Sendung dem richtigen Transport Mode zu](#)

[So wählen Sie Ihren richtigen Dienstleister aus](#)



# Routing Order: Germany National

English Version

# Transport Guidelines

## Transport control of purchase deliveries – Germany National

For goods that Innomotics purchase from you on the basis of the delivery condition FCA “free carrier” (i.e. that the transport costs are borne by Innomotics), we request that you observe the following shipping instructions:

### In General:

Please note that:

- the Innomotics order or purchase order number must be indicated in the freight documents without fail.
- Freight charges from the supplier will not be accepted.
- For FCA shipments, it is mandatory to provide the freight forwarder with the ORGID (= address identifier) of the ordering Innomotics unit.
- The separately specified IOR (“Innomotics Organization Reference”) of the freight paying Innomotics unit must be provided to the forwarder by the supplier.

These are the requirements for the identification for the Innomotics freight release so that the goods shipment can be carried out. If Org ID and IOR number are not known, they have to be requested from the ordering Innomotics unit.

### Dangerous goods consignments:

- For shipments containing dangerous goods, the supplier is obliged to provide the forwarder with the required data (UN-No./Class) for dangerous goods when placing the order.
- The supplier is responsible for the transport packaging, marking and labeling for the commissioned mode of transport..



### Attention:

**If the delivery of the goods does not take place from the supplier's originally ordered country, it is mandatory for the supplier to contact the ordering Innomotics unit, so that the nominated transport service provider for this country can be used.**

**In case of non-compliance, Innomotics will charge the additional costs incurred for freight and administrative expenses.**

How to allocate your shipment to the right transport mode

| Characteristics<br>Parcel Shipment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Characteristics<br>Groupage | Characteristics<br>LTL | Characteristics<br>FTL |          |        |          |                                 |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |        |          |                                           |                             |        |          |       |          |        |          |        |           |             |         |                                                                                                                                                                                                                                                                                 |                                                                                                                    |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|------------------------|------------------------|----------|--------|----------|---------------------------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|----------|-------------------------------------------|-----------------------------|--------|----------|-------|----------|--------|----------|--------|-----------|-------------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <div><div>➤ Express/parcel deliveries EOB / time precise deliveries (before 09:00h, before 10:00 h, before 12:00 h).</div><div>➤ Time delivery with time option needs a release of the ordering Innomotics Department</div><div>➤ Standard &lt; 70 kg per package:<br/>Length x Width x Height<br/>120 cm x 80 cm x 80 cm</div><div>➤ Exceptions &gt; 70 kg per package:<br/>Maximum 300 kg per package<br/>Length x Width x Height:<br/>300 cm x 120 cm x 160 cm</div></div> <div><div>Restrictions: Parcel</div><table><tr><td>Length</td><td>≤ 300 cm</td></tr><tr><td>Width</td><td>≤ 120 cm</td></tr><tr><td>Height</td><td>≤ 160 cm</td></tr><tr><td>Max. weight per package / colli</td><td>≤ 300 kg</td></tr></table></div> | Length                      | ≤ 300 cm               | Width                  | ≤ 120 cm | Height | ≤ 160 cm | Max. weight per package / colli | ≤ 300 kg | <div><div>➤ 1 kg ≤ 3000 kg</div><div>➤ See below listed general cargo restrictions (dimensions/weight), these must not be exceeded</div><div>➤ <b>Attention:</b><br/>Unconsolidated shipments &lt; 32 kg have to be processed via the nominated parcel service provider</div></div> <div><div>Groupage restriction per shipment /UCR</div><table><tr><td>Weight</td><td>≤ 300 cm</td></tr><tr><td>Number of Europallet spaces not stackable</td><td>&lt;= 6 (&lt;=2,4 loading meters)</td></tr></table><div>Transshipment capability / shipments without reloading ban</div><div>Bundled groupage = multiple groupage UCR</div></div> <div><div>Groupage restriction per shipment /UCR</div><table><tr><td>Length</td><td>≤ 240 cm</td></tr><tr><td>Width</td><td>≤ 180 cm</td></tr><tr><td>Height</td><td>≤ 220 cm</td></tr><tr><td>Weight</td><td>≤ 1200 kg</td></tr><tr><td>Max. Volume</td><td>≤ 3 cbm</td></tr></table></div> | Weight | ≤ 300 cm | Number of Europallet spaces not stackable | <= 6 (<=2,4 loading meters) | Length | ≤ 240 cm | Width | ≤ 180 cm | Height | ≤ 220 cm | Weight | ≤ 1200 kg | Max. Volume | ≤ 3 cbm | <div><div>➤ Single Shipment<br/>≥ 1000,1 kg, or</div><div>➤ Single Shipment<br/>&lt; 1000,1 kg with reloading ban and/or stacking restriction, or</div><div>➤ Individual shipments<br/>&lt; 1000.1 kg that exceed the groupage criteria (see Groupage restriction).</div></div> | <div><div>➤ Standard deliveries for FTL transports = complete loads: max. load per truck type 24000 kg</div></div> |
| Length                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | ≤ 300 cm                    |                        |                        |          |        |          |                                 |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |        |          |                                           |                             |        |          |       |          |        |          |        |           |             |         |                                                                                                                                                                                                                                                                                 |                                                                                                                    |
| Width                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | ≤ 120 cm                    |                        |                        |          |        |          |                                 |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |        |          |                                           |                             |        |          |       |          |        |          |        |           |             |         |                                                                                                                                                                                                                                                                                 |                                                                                                                    |
| Height                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | ≤ 160 cm                    |                        |                        |          |        |          |                                 |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |        |          |                                           |                             |        |          |       |          |        |          |        |           |             |         |                                                                                                                                                                                                                                                                                 |                                                                                                                    |
| Max. weight per package / colli                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | ≤ 300 kg                    |                        |                        |          |        |          |                                 |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |        |          |                                           |                             |        |          |       |          |        |          |        |           |             |         |                                                                                                                                                                                                                                                                                 |                                                                                                                    |
| Weight                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | ≤ 300 cm                    |                        |                        |          |        |          |                                 |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |        |          |                                           |                             |        |          |       |          |        |          |        |           |             |         |                                                                                                                                                                                                                                                                                 |                                                                                                                    |
| Number of Europallet spaces not stackable                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <= 6 (<=2,4 loading meters) |                        |                        |          |        |          |                                 |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |        |          |                                           |                             |        |          |       |          |        |          |        |           |             |         |                                                                                                                                                                                                                                                                                 |                                                                                                                    |
| Length                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | ≤ 240 cm                    |                        |                        |          |        |          |                                 |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |        |          |                                           |                             |        |          |       |          |        |          |        |           |             |         |                                                                                                                                                                                                                                                                                 |                                                                                                                    |
| Width                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | ≤ 180 cm                    |                        |                        |          |        |          |                                 |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |        |          |                                           |                             |        |          |       |          |        |          |        |           |             |         |                                                                                                                                                                                                                                                                                 |                                                                                                                    |
| Height                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | ≤ 220 cm                    |                        |                        |          |        |          |                                 |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |        |          |                                           |                             |        |          |       |          |        |          |        |           |             |         |                                                                                                                                                                                                                                                                                 |                                                                                                                    |
| Weight                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | ≤ 1200 kg                   |                        |                        |          |        |          |                                 |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |        |          |                                           |                             |        |          |       |          |        |          |        |           |             |         |                                                                                                                                                                                                                                                                                 |                                                                                                                    |
| Max. Volume                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | ≤ 3 cbm                     |                        |                        |          |        |          |                                 |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |        |          |                                           |                             |        |          |       |          |        |          |        |           |             |         |                                                                                                                                                                                                                                                                                 |                                                                                                                    |
| Parcel                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Groupage                    | LTL                    | FTL                    |          |        |          |                                 |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |        |          |                                           |                             |        |          |       |          |        |          |        |           |             |         |                                                                                                                                                                                                                                                                                 |                                                                                                                    |

# How to allocate your carrier

## Express / Parcel

### DHL Express

Contact:

HOTLINE

Tel: +49 (0) 180 / 645 00 22

E-Mail: [de.Siemens@dhl.com](mailto:de.Siemens@dhl.com)

Please indicate our DHL account number on the DHLwaybill - see sample (outlined in red).

This can be different depending on the Innomotics unit ordered.

Please ask the customer for it if necessary.

SAMPLE:



## Groupage

### Emons Spedition GmbH

Contact person: HOTLINE

Tel. 0221/98351-113  
Fax. 0221/98351-165

E-Mail: [siemens@emons.de](mailto:siemens@emons.de)

### IDS Logistik GmbH

Contact person: HOTLINE

Tel: + 49 6027-40903 47

E-Mail: [cs@ids-logistik.de](mailto:cs@ids-logistik.de)

### Geis Eurocargo GmbH

Contactperson: HOTLINE

Tel: 0911/64178-412 o. -415 o. -416

E-Mail: [zaa@geis-group.de](mailto:zaa@geis-group.de)

Please note that it is extremely important to notify the carrier about the following mandatory pick-up and delivery schedule while issuing the service request

Notification Day A **till** 10:00 am.  
- Collection of these goods Day A  
- Delivery Day B @ Siemens

Notification Day A **after** 10:00 am.  
- Collection of these goods Day B  
- Delivery Day C @ Siemens

Special pick-up arrangements are to be agreed bilaterally with the respective service provider.

For further information or assistance please contact each carrier.

## LTL Less than Truck Load

### Kühne Nagel

Contact person: HOTLINE

Tel: +49 xxx

E-Mail: [kn.de.siemens.road@kuehne-nagel.com](mailto:kn.de.siemens.road@kuehne-nagel.com)

### Gruber Logistics GmbH

Contact person: HOTLINE

Tel: +49 89 99 229 336

E-Mail: [customercare.siemens@gruber-logistics.com](mailto:customercare.siemens@gruber-logistics.com)

### Aprojects (Trans-Trading)

Contact person: HOTLINE

Tel: +49 2154 4919 12

E-Mail: [siemensde@aprojects.com](mailto:siemensde@aprojects.com)

## FTL Full Truck Load

### Kühne Nagel

Contact person: HOTLINE

Tel: +49 xxx

E-Mail: [kn.de.siemens.road@kuehne-nagel.com](mailto:kn.de.siemens.road@kuehne-nagel.com)

### Gruber Logistics GmbH

Contact person: HOTLINE

Tel: +49 89 99 229 336

E-Mail: [customercare.siemens@gruber-logistics.com](mailto:customercare.siemens@gruber-logistics.com)

### Aprojects (Trans-Trading)

Contact person: HOTLINE

Tel: +49 2154 4919 12

E-Mail: [siemensde@aprojects.com](mailto:siemensde@aprojects.com)



# Routing Order: Germany National

Deutsche Version

# Transportvorschrift

## Transportsteuerung von Einkaufslieferungen aus Deutschland

Für Waren, die Siemens auf Basis der Lieferkondition FCA „Frei Frachtführer“ von Ihnen bezieht (d.h. dass die Transportkosten zu Lasten von Siemens gehen) bitten wir um Beachtung der nachfolgenden Versandvorschriften:

### Allgemein:

Wir weisen darauf hin,

- dass in den Frachtpapieren unbedingt die Innomotics Auftrags- oder Bestellnummer angegeben werden muss.
- Frachtkostenbelastungen vom Lieferanten werden nicht akzeptiert
- Bei FCA-Sendungen ist es zwingend erforderlich dem Spediteur die ORGID (= Adresskennzeichen) der bestellenden Innomotics-Einheit mitzuteilen.
- Die separat angegebene IOR („Innomotics Organization Reference,“) der frachtzahlende Innomotics-Einheit muss dem Spediteur vom Lieferanten zur Verfügung gestellt werden.

Dies sind die Voraussetzungen für die Identifizierung zur Innomotics-Frachtfreigabe damit der Warenversand durchgeführt werden kann. Sollten OrgID und IOR-Nummer nicht bekannt sein, sind diese bei der beauftragenden Siemenseinheit zu erfragen.

### Gefahrgutsendungen:

- Für Sendungen die Gefahrgut enthalten, ist der Lieferant verpflichtet, dem Spediteur bei Auftragserteilung, die erforderlichen Daten (UN-Nr./Klasse) für Gefahrgut zu übermitteln.
- Für die Transportverpackung, Kennzeichnung und Beschriftung für den beauftragten Verkehrsträger, ist der Lieferant verantwortlich.



### Achtung:

**Sollte der Warenversand nicht aus dem ursprünglich beauftragten Land des Lieferanten erfolgen, muss der Lieferant zwingend Rücksprache mit der entsprechenden Innomotics-Einheit halten, damit der für das Land nominierte Transportdienstleister eingesetzt werden kann.**

**Bei Nichteinhaltung dieser Transportsteuerung für den Warenversand wird die bestellende Innomotics-Einheit die entstandenen Mehrkosten für Fracht und Verwaltungsaufwand in Rechnung stellen.**

So ordnen Sie Ihre Sendung dem richtigen Transport Mode zu

Merkmale  
Paket

- Express/parcel deliveries EOB / time precise deliveries (before 09:00h, before 10:00 h, before 12:00 h).
- Time delivery with time option needs a release of the ordering Innomatics Department
- Standard < 70 kg per package:  
Length x Width x Height  
120 cm x 80 cm x 80 cm
- Exceptions > 70 kg per package:  
Maximum 300 kg per package  
Length x Width x Height:  
300 cm x 120 cm x 160 cm

Restrictions: Parcel

|                                                             |       |
|-------------------------------------------------------------|-------|
| Länge                                                       | 120cm |
| Breite                                                      | 80 cm |
| Height                                                      | 80 cm |
| Max. Gewicht pro Packet<br>Ausnahmen:<br>> 70 kg siehe oben | 70 kg |

Express / Parcel

Merkmale  
Groupage - Stückgut (GRP)

- 1 kg ≤ 3000 kg
- Siehe unten aufgeführte Stückgut-Beschränkungen (Abmessungen/Gewicht), diese dürfen nicht überschritten werden.
- Achtung:**  
Ungebündelte Sendungen < 32 kg müssen als Paketsendung verschickt werden (siehe Merkmale Express/ Paket- Service) !

Groupage restriction per shipment / UCR

|                                                    |                            |
|----------------------------------------------------|----------------------------|
| Weight                                             | ≤ 300 cm                   |
| Anzahl an Europalettenstellplätzen nicht stapelbar | ≤ 6 (≤ 2,4 loading meters) |

Transshipment capability / shipments without reloading ban

Bundled groupage = multiple groupage UCR

Groupage restriction per shipment / UCR

|             |           |
|-------------|-----------|
| Länge       | ≤ 240 cm  |
| Breite      | ≤ 180 cm  |
| Höhe        | ≤ 220 cm  |
| Weight      | ≤ 1200 kg |
| Max. Volume | ≤ 3 cbm   |

Groupage

Merkmale  
LTL (Teilladung)

- Einzelne Sendungen ≥ 1000,1 kg, oder
- Einzelne Sendungen < 1000,1 kg die mit Umladeverbot und/oder Überstauungsverbot gekennzeichnet sind, oder
- Einzelne Sendungen < 1000,1 kg die die Groupage- Kriterien (siehe Groupage restriction) überschreiten.

LTL restriction per shipment / UCR

|                                                    |                            |
|----------------------------------------------------|----------------------------|
| Anzahl an Europalettenstellplätzen nicht stapelbar | ≤ 6 (≤ 2,4 loading meters) |
|----------------------------------------------------|----------------------------|

Direct transport i.e. load deliver required / shipment with reloading ban

LTL restriction per one package / colli

|             |                                                          |
|-------------|----------------------------------------------------------|
| Länge       | > 240 cm                                                 |
| Breite      | > 180 cm                                                 |
| Höhe        | > 220 cm                                                 |
| Weight      | Business specific - depending on product characteristics |
| Max. Volume | > 3 cbm                                                  |

LTL (Teilladung)

Merkmale  
FTL

- Standard Lieferungen für FTL Transporte = Komplettladungen: max. Zuladung je LKW-Typ 24000 kg

FTL (Komplettladung)

So wählen Sie Ihren richtigen Dienstleister aus

Express / Parcel

DHL Express


Kontakt:

Tel: +49 (0) 228 902435 – 27  
E-Mail: [de.Siemens@dhl.com](mailto:de.Siemens@dhl.com)

Bitte geben Sie unsere DHL-Kundennummer auf dem DHL-Frachtbrief an – siehe Muster (rot umrandet).

Diese kann je nach bestellender Siemens Einheit unterschiedlich sein. Bitte erfragen Sie diese bei Bedarf beim Auftraggeber an.

**MUSTER:**



Groupage  
Stückgut

Emons Spedition  
GmbH

Kontakt: HOTLINE

Tel. 0221/98351-113  
Fax. 0221/98351-165

E-Mail:  
[siemens@emons.de](mailto:siemens@emons.de)

IDS Logistik  
GmbH

Kontakt: HOTLINE

Tel: + 49 6027-40903 47

E-Mail: [cs@ids-logistik.de](mailto:cs@ids-logistik.de)

Geis Eurocargo  
GmbH

Kontakt: HOTLINE

Tel: 0911/64178-412 o. -  
415 o. -416

E-Mail:  
[zaa@geis-group.de](mailto:zaa@geis-group.de)

! Wichtig ist eine rechtzeitige Avisierung beim Transport Dienstleister

Anmeldung Tag A **bis** 10:00 Uhr

- Abholung Tag A
- Zustellung Tag B

Anmeldung Tag A **nach** 10:00 Uhr

- Abholung am Tag B
- Zustellung Tag C

Spezielle Abholvereinbarungen sind bilateral mit dem jeweiligen Dienstleister zu vereinbaren. Es besteht die Möglichkeit einer Abholung auf day-to-day Basis. Für weitere Informationen bitte den jeweiligen Dienstleister kontaktieren.

LTL  
Teilladung

Kühne Nagel

Kontakt: HOTLINE

Tel: +49 xxxRO-National- Standard

E-Mail:  
[kn.de.siemens.road@kuehne-nagel.com](mailto:kn.de.siemens.road@kuehne-nagel.com)

Gruber Logistics GmbH

Kontakt : HOTLINE

Tel: +49 89 99 229 336

E-Mail:  
[customercare.siemens@gruber-logistics.com](mailto:customercare.siemens@gruber-logistics.com)

Aprojects (Trans-Trading)

Kontakt : HOTLINE

Tel: +49 2154 4919 12

E-Mail:  
[siemensde@aprojects.com](mailto:siemensde@aprojects.com)

FTL  
Komplettladung

Kühne Nagel

Kontakt: HOTLINE

Tel: +49 xxxRO-National- Standard

E-Mail:  
[kn.de.siemens.road@kuehne-nagel.com](mailto:kn.de.siemens.road@kuehne-nagel.com)

Gruber Logistics GmbH

Kontakt: HOTLINE

Tel: +49 89 99 229 336

E-Mail:  
[customercare.siemens@gruber-logistics.com](mailto:customercare.siemens@gruber-logistics.com)

Aprojects (Trans-Trading)

Kontakt: HOTLINE

Tel: +49 2154 4919 12

E-Mail:  
[siemensde@aprojects.com](mailto:siemensde@aprojects.com)